


General Notes:

- (1) Structural concrete shall be 1 : 1 : 2.
- (2) All the fresh structural concrete must be compacted through electro/mechanical vibrator.
- (3) Structural concrete must be properly cured with water for at least 10 days.
- (4) Grade 60 Deformed Steel shall be used as structural steel.
- (5) Minimum clear cover to reinforcement shall be as under;
 - (a) Beams and Columns = 1.5"
 - (b) Slabs = 0.75"
- (6) Dowel/Splice Length for columns
 - (a) # 4 Bars = 24"
 - (b) # 6 Bars = 36"
- (7) Overlaps for Top Beam Bars
 - (a) # 4 Bars = 21"
 - (b) # 6 Bars = 36"
- (8) Overlaps for Bottom Beam Bars and all Slab Bars:
 - (a) # 3 Bars = 12"
 - (b) # 4 Bars = 18"
 - (c) # 6 Bars = 30"

Notes

1. Distribution bars shall be #4@6"c/c.
2. Number of steps & sizes shall be adjusted as per Architecture.
3. Waist Slab shall be 6" thick.



CLIENT. GOVERNMENT COLLEGE UNIVERSITY FAISALABAD	PROJECT. ESTABLISHMENT OF CHINIOT CAMPUS GOVERNMENT COLLEGE UNIVERSITY FAISALABAD	NORTH 	DWG. TITLE ACADEMIC BLOCK GENERAL NOTES & STAIRS SECTION DETAILS	DESIGN BY AFTAB KHAN DATE OCT , 2020	DRAW BY DWG. NO S - 06	CONSULTANTS  DEVELOPMENT CONSULTANCY SERVICES (Pvt.) Ltd. Office 27, 2nd Floor, Executive complex, G-8 Markaz, Islamabad Phone: 051-8736305
---	---	------------------	--	---	--	--