



GOVERNMENT COLLEGE UNIVERSITY FAISALABAD

TENDER DOCUMENT No. NRPU-5649-2019

SUPPLY OF EQUIPMENT FOR DEPARTMENT OF ZOOLOGY **(HEC Funded Project), GCUF.**

Purchase Price: Rs. 500/-

Sealed Tenders are invited from the well reputed firms / suppliers, who are registered with Sales Tax and Income Tax Department as Active Tax Payer for Purchase of Equipment for Department of Zoology (HEC Project), GCUF.

GENERAL TERMS & CONDITIONS

1. Tender Opening Date & Procedure:

The procurement shall be completed in accordance with Punjab Procurement Rules 2014, on Single Stage - Two Envelope Bidding Procedure.(Technical & Financial Bid separately)
Bids in complete conformity with Tender Documents will be dropped in the office of the Principal Investigator, Dr Syed Makhdoom Hussain, Department of Zoology, old campus GCUF, not later than **10:00 Hrs on 18.10.2019** which shall be opened on same day at **10:30 Hours.**

Note: Tender Number must be mentioned on envelope.

2. Tender Fee, Bid Security and Performance Security:

The Bid must be accompanied by Tender Fee of Rs:500/- in shape of Call Deposit Receipt (CDR) in original and Bid Security of 2% of Estimated Price of Rs.635,000/- (refundable) in shape of Call Deposit Receipt (CDR) in original. CDRs must be in favor of Treasurer, Government College University, Faisalabad. The rates / bids should be inclusive of all applicable Govt. Taxes.

3. Validity of Offers.

- i. Offers shall be valid for 180 days from the date of submission of bids.
- ii. Withdrawal / modification of the original offer within the validity period shall entitle the University to forfeit Bid Security.
- iii. Sales Tax Number and NTN Number must be mentioned on the letter head and bidding documents.

4. **Failures and Terminations:**

No offer of a supplier / firm will be considered if:-

- a) Bid received without Bid Security / Call Deposit or less CDR than the required.
- b) Bids received not in accordance with specifications of Tender Documents.
- c) Bid received later than the date and time fixed for tender.
- d) Tender is incomplete in any respect or is unsigned.
- e) Offer is ambiguous and the offer is conditional.
- f) Offer from a firm which is black listed at any level.
- g) Any erasing / cutting / overwriting etc.
- h) The supplier fails to deliver the consignment within specified delivery period strictly in accordance with the terms and conditions as laid down in the Purchase Order.
- i) Situation warranted, then University is authorized to forfeit the bid Security and the firm may also be black listed.

5. **Other special conditions**

- I. The decision of the Vice Chancellor of Government College University, Faisalabad, would be final & binding on both the parties.
- II. The supplier/vendor shall submit company profile with financial status and experience record of dealing in relevant line of business.
- III. 10% performance security ,applicable on non consumable supplied items, shall be deducted from the final bill of the successful bidder as per PPRA Rules 2014 and shall be released on request after successful expiry of warranty period.
- IV. All Government Taxes & duties ie; 1/5th of total GST as well as income tax and stamp duty (if applicable) will be deducted according to applicable rules.
- V. The warranty period for the supplied items shall be declared minimum 364 days on final inspection of the Committee and end user. However, this warranty period may be extend if deemed necessary due to unavoidable circumstances.
- VI. Upon the successful supply, fixation, placing, installation, demonstration and inspection carried out by the end user/inspection committee. The successful bidder shall submit their invoice/requisite for request for payment with all necessary documents.
- VII. No partial/advance payment shall be made against partial supply.
- VIII. The unit rates and the price shall be quoted by the bidder in currency PKR (Pakistani Rupee).
- IX. LDC (Late delivery Charges) penalty shall be imposed @2% per month of delay upto maximum of 10% of total price.
- X. The University may reject all bids/proposals at any time prior to the acceptance of a bid or proposal as per PPRA Punjab rule 35, however upon bidder request the ground of rejection will be communicated to the concerned but no justification will be given as per PPRA rule 35 (2).

Dr. Syed Makhdoom Hussain

Assistant Professor
Department of Zoology
GC University Faisalabad
Cell: 0322-5595618

ISSUED TO:

ISSUED TO:

M/S-----

TENDER NOTICE No. NRPU-5649-2019**SUPPLY OF EQUIPMENT FOR DEPARTMENT OF ZOOLOGY (HEC Project), GCUF.**

Sr.No.	Items with Specifications or Equivalent	QTY	Unit Price Including Taxes	Total Cost
1	Electric Grinder Electric Motor (RPM-2800), Electric Grinder 23×45 (L shaped), Fitting Frame, Connecting Belt (made in Japan), Electric Motor of 3 horse power made of 100% Copper wiring	01		
2	Electric Feed Mixer Mixture Machine of 15 inches that can mix up to 10 Kg ingredients with 1 electric motor of 2 horse power, 1400 RPM made of 100% Copper wiring with its stand and fitting equipment.	01		
3	Dissolve Oxygen Meter Electrode condition icon, 30 sets of data memory, Easy access to most recent calibration data, One-touch conversion among ppm, mg/L and % to meet different requirement, Auto/manual endpoint, ATC/MTC, auto self-diagnosis and error message alert, battery saving mode, NO warm up needed, galvanic DO electrode to take measurement immediately, Measurement Range: 0.0 to 199.9%; 200 to 400%, 0.00 to 19.99; 20.0 to 45.0 mg/L, 0.00 to 19.99; 20.0 to 45.0 ppm, 0 to 50 °C, 0.1%; 1%. Measurement Resolution 0.01 mg/L; 0.1 mg/L, 0.01 ppm; 0.1 ppm, 0.1 °C, 375 to 825 mmHg. Barometric range 500 to 1100 mbar, 500 to 1100 hPa, 1 mmHg, Barometric resolution 1 mbar, 1 hPa. Accuracy: ± 1%; ± 0.3 °C, Salinity compensation: 0.0 to 50.0 ppt, 1 or 2 points calibration, LCD display, IP54, BNC; Cinch (NTC 30 kΩ)ABS Material. Portable Western EEC, USA, Japan	01		
4	pH Meter White backlit LCD display, pH Electrode Condition Icons, Stand alone electrode arm, Auto buffer recognition, with 3-point calibration, MTC & ATC with 3-in-1 electrode, auto self-diagnosis, meet CE requirements, Date and Time Display Also record the most recent calibration data, Measurement Range: 0.00...14.00 pH, -1999...+1999mV, 0 °C...100 °C, Resolution: 0.01 pH, 1 mV, 0.1 °C, Error Limits/Accuracy: ± 0.01 pH, ± 1 mV, ± 0.5 °C, 4 predefined buffer group, 30 sets, most recent calibration data, BNC, impedance	01		

	>10e+12 Ω, Temp Compensation, IP54 rating. Portable Western EEC, USA, Japan			
5	EC with Temperature Meter White backlit LCD display, Electrode Condition Icons, Date and Time display, with the most recent calibration data, 3-in-1 pH electrode/4-ring conductivity electrode, Auto buffer recognition, with 3-point calibration, ATC & MTC, meet CE requirements, Measurement range 0.0 $\mu\text{S}/\text{cm}$...199.9 mS/cm, TDS: mg/l...199.9 g/l (TDS), 0 $^{\circ}\text{C}$...100 $^{\circ}\text{C}$, Resolution: Auto range , 0.1 $^{\circ}\text{C}$, Error Limits: $\pm 0.5\%$ F.S. $\pm 0.3\text{ }^{\circ}\text{C}$, 30 sets, most recent calibration data, Mini-Din input, IP54 rating. Portable Western EEC, USA, Japan.	01		
6	Hotplate Digital Microprocessor PID Control, LCD (backlit) DISPLAY, Temp range: Ambient - 550$^{\circ}\text{C}$, Speed range: 100 - 1500rpm, Temp accuracy at plate: ± 1 (100$^{\circ}\text{C}$), accuracy of liquid using PT- 1000 Sensor $\pm 0.2^{\circ}\text{C}$, Temp increments: 1$^{\circ}\text{C}$, Heat output: 1000W, Max. Stirring Qty.: 20 Liters, Heating rate (1 liter water): 6K/min, DC Brushless motor, RS232, Plate size: 7 x 7", Ceramic-Glass top. Western EEC, USA, Japan	01		
7	Bomb Calorimeter Automation Type Automatic, Material Stainless Steel, Mild Steel, PVC, Phase Single phase, Operating Voltage 230v, Brand Sigma-197, Size 325x265x280 mm, Analysis Time, Timing Clock, Power Supply 230v50hz10 kg, Weight 10 kg, Western EEC, USA, Japan	01		
8	Printer HP LaserJet Pro M402, Document feeder 400 sheets, Laser printer technique: Laser, Maximum document size :8.5 x 14" ,Maximum print speed (b/w) :40 ppm, Paper storage (capacity):100-Sheet Multipurpose & 250-Sheet Trays, paper storage (max capacity):Tray 1, 150 sheet, Tray 2, 350 sheet, Interfaces: USB 2.0 Ethernet, Weight: 8.6 kg, Automatic duplex , Direct printing, Memory capacity (included) : 256 MB DRAM, Processor speed: 1.2 GH Computer System HP/Dell or Equivalent (Refurnished) Intel core i5-3rd generation and above 4GB RAM 250GB Hard Disk Super Drive	01		

	Branded keyboard – Mouse Branded LED 17” or higher 7 other accessories WIFI support With one year warranty			
9	Oxygen Pump and Capillaries System Voltage 220V/50HZ Power 750W Volumenstrom 15m ³ /h Pressure 1450/min Typ TR 15 DV IP 54 Aeration Pipe 100 feet length Bubble Stone aeration for tanks (24 pieces) Aeration pipe joint ‘T’ (24 pieces)	01		
Total Amount (Rs.)				

Note: Rate should also be quoted on Firm’s letter head pad.

Details of Call Deposit Receipt (CDR)

Signature_____

No_____ **Amount**_____

Name of Bidder_____

Bank_____ **Branch**_____ **City**_____

CNIC No _____

Name of the Firm & Address _____ **Ph No**_____

N.T.No. _____ **Sales Tax No.**_____

Issued By:

Dr. Syed Makhdoom Hussain

Assistant Professor

Department of Zoology

GC University Faisalabad

Cell: 0322-5595618